



INSTALL 8"x8"x3/8" STEEL BEARING PLATE W/ 2-1/2"x16" ANCHOR BOLTS WELDED TO BOTTOM AND GROUTED INTO BLOCK CELLS BELOW (TYPICAL AT EACH CORNER).

W6x24 STEEL BEAM WITH 1/4" x 7 1/2" CONTINUOUS STEEL PLATE WELDED TO BOTTOM OF FLANGE, WELD IN 3/8" WEB STIFFENER PLATES AT ALL COLUMN BEARING POINTS.

INSTALL NEW 4"x4"x3/8" SQUARE STEEL TUBE COLUMN W/ 8"x16"x3/8" BOTTOM PLATE RECESSED 4" BELOW SLAB AND 8"x8"x3/8" TOP PLATE FILL BLOCK CELLS SOLID FOR BASE PLATE BEARING.

**PROPOSED FLOOR PLAN**  
SCALE: 1/4" = 1'-0"



No.	Date	Description
1	10-24-15	DD - COORDINATION
2	10-31-15	COORDINATION
3	4-22-16	CPD COORDINATION
4		



PROPOSED SITE PLAN FOR:  
**CHESTNUT MART OF MARLBOROUGH**  
1417 ROUTE 9W MARLBOROUGH, NY  
**CIRO INTERRANTE ARCHITECT, P.C.**  
85 MARKET STREET FOUGHKEEPSIE, NEW YORK 12601  
(845) 473-7512 Office (845) 473-7525 Fax

Project No: 03-05  
DRAWN BY: BM/MW/GG  
ISSUED DATE: 15 MARCH 2015

SHEET NO: **A2**  
ARCHITECTURAL